



English

	SLIM Globe		SLIM	
	Weight range (gr.)	Capacity (pc/h)	Weight range (gr.)	Capacity (pc/h)
SLIM (Globe) 700	50 - 700	1100	50 - 700	1100
SLIM (Globe) 1400	200 - 1400	1100	200 - 1400	1100
SLIM (Globe) 1700	300 - 1700	1100	300 - 1700	1100
SLIM (Globe) 2500	400 - 1700	550	400 - 2500	550
SLIM (Globe) 2x200	50 - 200	2200	50 - 200	2200

US-English

	SLIM Globe		SLIM	
	Weight range (oz.)	Capacity (pc/h)	Weight range (oz.)	Capacity (pc/h)
SLIM (Globe) 700	2 – 25	1100	2 - 25	1100
SLIM (Globe) 1400	7 - 50	1100	7 - 50	1100
SLIM (Globe) 1700	10 - 60	1100	10 - 60	1100
SLIM (Globe) 2500	15 - 60	550	15 - 90	550
SLIM (Globe) 2x200	2 - 7	2200	1 - 7	2200

Nederlands

	SLIM Globe		SLIM	
	Gewichtsbereik (gr.)	Capaciteit (st./uur)	Gewichtsbereik (gr.)	Capaciteit (st./uur)
SLIM (Globe) 700	50 - 700	1100	50 - 700	1100
SLIM (Globe) 1400	200 - 1400	1100	200 - 1400	1100
SLIM (Globe) 1700	300 - 1700	1100	300 - 1700	1100
SLIM (Globe) 2500	400 - 1700	550	400 - 2500	550
SLIM (Globe) 2x200	50 - 200	2200	50 - 200	2200

Français

	SLIM Globe		SLIM	
	Poids plage (gr)	Capacité (pc/h)	Poids plage (gr)	Capacité (pc/h)
SLIM (Globe) 700	50 - 700	1100	50 - 700	1100
SLIM (Globe) 1400	200 - 1400	1100	200 - 1400	1100
SLIM (Globe) 1700	300 - 1700	1100	300 - 1700	1100
SLIM (Globe) 2500	400 - 1700	550	400 - 2500	550
SLIM (Globe) 2x200	50 - 200	2200	50 - 200	2200

Deutsch

	SLIM Globe		SLIM	
	Gewichtsbereich (g)	Kapazität (Stck./h)	Gewichtsbereich (g)	Kapazität (Stck./h)
SLIM (Globe) 700	50 - 700	1100	50 - 700	1100
SLIM (Globe) 1400	200 - 1400	1100	200 - 1400	1100
SLIM (Globe) 1700	300 - 1700	1100	300 - 1700	1100
SLIM (Globe) 2500	400 - 1700	550	400 - 2500	550
SLIM (Globe) 2x200	50 - 200	2200	50 - 200	2200

Español

	SLIM Globe		SLIM	
	Ámbito de peso (g.)	Capacidad (pz/h)	Ámbito de peso (g.)	Capacidad (pz/h)
SLIM (Globe) 700	50 - 700	1100	50 - 700	1100
SLIM (Globe) 1400	200 - 1400	1100	200 - 1400	1100
SLIM (Globe) 1700	300 - 1700	1100	300 - 1700	1100
SLIM (Globe) 2500	400 - 1700	550	400 - 2500	550
SLIM (Globe) 2x200	50 - 200	2200	50 - 200	2200

Русский

	SLIM Globe		SLIM	
	Весовой Диапазон (r)	Производительность (шт/ч)	Весовой Диапазон (r)	Производительность (шт/ч)
SLIM (Globe) 700	50 - 700	1100	50 - 700	1100
SLIM (Globe) 1400	200 - 1400	1100	200 - 1400	1100
SLIM (Globe) 1700	300 - 1700	1100	300 - 1700	1100
SLIM (Globe) 2500	400 - 1700	550	400 - 2500	550
SLIM (Globe) 2x200	50 - 200	2200	50 - 200	2200